

PRELIMINARY AMENDMENT  
U.S. Appln. No. 09/777,681


**REMARKS**

Applicant hereinabove amends independent claims 3 and 4 to describe features of the non-imaging area more particularly. Furthermore, it is believed that the previous amendments to claims 9 and 12 in the Amendment of May 22, 2003 has been entered. To the extent that those amendments have not been entered, by the accompanying RCE paper, Applicant requests entry of prior submitted claim amendments filed on May 22, 2003.

Entry and consideration of this Amendment are respectfully requested.

Respectfully submitted,

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

  
Susan Perng Pan  
Registration No. 41,239

WASHINGTON OFFICE



23373

PATENT TRADEMARK OFFICE

Date: June 23, 2003

**APPENDIX**

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE CLAIMS:**

**The claims are amended as follows:**

3 (Amended). A fluorescence imaging apparatus, comprising:

- i) excitation light irradiating means for irradiating excitation light to a measuring site, the excitation light causing the measuring site to produce fluorescence,
- ii) imaging means for imaging the fluorescence, which has been produced from the measuring site when the excitation light is irradiated to the measuring site, and
- iii) imaging control means for controlling operations of the imaging means, wherein the imaging means is provided with an image sensor, which comprises a plurality of pixels arrayed in two-dimensional directions and which has a fluorescence imaging region utilized for the imaging of the fluorescence and a non-imaging region other than the fluorescence imaging region, wherein the non-imaging regions comprises a region where the fluorescence is not received, and

the imaging control means controls such that, when signal charges are to be read from the image sensor, signal charges, which have been accumulated in at least certain pixels among pixels falling within the non-imaging region, are prevented from being read.

4 (Amended). A fluorescence imaging apparatus, comprising:

PRELIMINARY AMENDMENT  
U.S. Appln. No. 09/777,681

- i) excitation light irradiating means for irradiating excitation light to a measuring site, the excitation light causing the measuring site to produce fluorescence,
  - ii) imaging means for imaging the fluorescence, which has been produced from the measuring site when the excitation light is irradiated to the measuring site, and
  - iii) imaging control means for controlling operations of the imaging means, wherein the imaging means is provided with a charge transfer type of image sensor, which comprises a plurality of pixels arrayed in two-dimensional directions and which has a fluorescence imaging region utilized for the imaging of the fluorescence and a non-imaging region other than the fluorescence imaging region, wherein the non-imaging region comprises a region where the fluorescence is not received, and
- the imaging control means controls such that, when signal charges are to be read from the image sensor, signal charges, which have been accumulated in pixels falling within a certain area of the non-imaging region, are read with either one of a quick reading operation, in which the signal charges are read at a reading speed higher than the reading speed for the fluorescence imaging region, and a binning reading operation, in which the signal charges having been accumulated in a plurality of the pixels are added together, and a total sum signal charge having been obtained from the addition is read, and signal charges, which have been accumulated in pixels falling within the other area of the non-imaging region, are prevented from being read.